

ACADEMY

TECHNICAL TRAINING
SHORT VERSION





COMPANY PROFILE






ABOUT US





WORLWILDE PRESENCE



BS Battery brand and products are distributed throughout 70 countries, making BS Battery a reliable partner of most of the major distribution players and vehicle manufacturers.



CERTIFICATIONS





POWERSPORT BATTERY SOLUTIONS





BATTERY'S EVOLUTION...

Before 1970

1970

1990

Emergence of

LITHIUM batteries for

motorcycle market

European decree

prohibiting handling of

acid

2021

New technology: VALVE REGULATED LEAD ACID (VRLA)

which absorbs the acid in the battery, providing high cyclic stability. This allows the battery to be charged and discharged several times

without losing performance.

WATERPROOF BATTERY (VRLA) TO ACTIVATE









Acid handling = 1 time only

- · Batteries AGM MF Maintenance Free
- · Batteries Gel Maintenance Free

SEALED BATTERY (VRLA) READY TO USE







No Maintenance

- AGM Factory activated
- Gel Factory activated
- Activated
- SLA = Sealed Lead Acid

LITHIUM BATTERY





No Maintenance

- **Batteries Lithium**
- Lion









Acid handlng = Many times

- " DRY"
- "Lead /acid battery"
- "Conventional Battery"









BS BATTERY - Battery Range Overview



LITHIUM LiFePO4



Designed for the most demanding riders






Making the rider's life easier





Maximal performance for big engine bikes

A C T I O R A Y T E D







A P C A I C D K




DRY - Conventional



DRYBATTERY







FEATURES & TECHNOLOGY

- HAS TO BE CHECKED PERIODICALLY, REFILLED WITH WATER IF NECESSARY
- ACID PACK INCLUDED FOR INITIAL FILLING
- UPRIGHT INSTALLATION ONLY
- HANDLE WITH CARE TO PREVENT ACID SPILLAGE

- REGULAR LIFE DURATION
- LONG SHELF LIFE,
 NO NEED TO BE RECHARGED WHILE STOCKED
- INTERNAL GAS EMISSION THROUGH VENTING HOLE
- WIDE VARIETY OF 6V & 12V MODELS

MOUNTING ANGLES





Upright installation only





MF (Maintenance Free) - Reliability







FEATURES & TECHNOLOGY


- MAINTENANCE FREE, NO WATER REFILING
- ACIDE PACK INCLUDED (initial filling)
- 100% SEALED AFTER FILING
- UPRIGHT INSTALLATION
- EXTENDED CYCLE LIFE

- **LONG SHELF LIFE**
- SUITABLE FOR COLD WEATHER
- PLATE SULFATION REDUCTION
- LONGER VOLTAGE HOLD









MEDIUM INCLINAISON



SLA (Sealed Lead Acid) - Making the rider's life easier
















FEATURES & TECHNOLOGY

- FACTORY ACTIVATED READY TO USE
- 100% MAINTENANCE FREE
- O NO ACIDE HANDLING, 100% SAFE
- EASY TO SHIP & CARRY

- SPILLPROOF DESIGN, TOTALLY SEALED
- INCREASE POWER & EXTENDED CYCLE LIFE
- LOW DISCHARGE RATE
- SUITABLE FOR E-COMMERCE



HIGH INCLINAISON



SLA MAX - Maximal performance for big engines







FOR POLARIS & INDIAN











HIGH INCLINAISON













FOR BMW

FEATURES & TECHNOLOGY

- **FACTORY ACTIVATED READY TO USE**
- **100% MAINTENANCE FREE**
- **NO ACIDE HANDLING, 100% SAFE**
- **SPILLPROOF DESIGN**, TOTALLY SEALED
- **LOW DISCHARGE RATE**
- SUITABLE FOR E-COMMERCE

- **SUPERIOR CAPACITY**
- **EXTREME VIBRATION RESISTANCE**
- **HD SPACERS INCLUDED**
- **INCREASED POWER & EXTENDED CYCLE LIFE**
- **EASY TO SHIP & CARRY**



SLA MAX – Focus on Harley Davidson







AGM




Terminal specifically designed to facilitate the mounting on Harley Davidson motorcycles



Battery case with a grid framework for a maximum vibration resistance



BTX20HL and BIX30HL Harley Davidson specific terminals



BTX14HL Harley Davidson specific terminals



LITHIUM - Designed for the most demanding riders












TESTED & APPROVED BY OFFICIAL RACING TEAMS

FEATURES & TECHNOLOGY

- FACTORY ACTIVATED READY TO USE
- 70% LIGHTER THAN LEAD ACID BATTERIES
- OVER 2 000 CYCLES LIFE
- SUPER FAST CHARGING CAPABILITIES
- VERY LOW SELF-DISCHARGE

- IMPRESSIVE COLD CRANKING PERFORMANCE
- HEAT TEMPERATURE RESISTANCE UP TO
 - 230°C
- ROBUST BRASS TERMINALS
- WATERPROOF DESIGN
- SUITABLE FOR E-COMMERCE



HIGH INCLINAISON



SLA RANGE - THE SOLUTION!

95% of MF & DRY references























COMPARATIVE FEATURES

	Lithium LiFePO4	SLA / SLA Max	MF	DRY
READY TO USE	\checkmark	\checkmark	-	-
NO ACID HANDLING	\checkmark	\checkmark	-	-
NON SPILLABLE	\checkmark	\checkmark	-	-
FACTORY ACTIVATED	\checkmark	\checkmark	-	-
MULTIPOSITIONNAL FITMENT	\checkmark	\checkmark	-	-
EASY TO CARRY	\checkmark	\checkmark	-	-
EASY TO SHIP	\checkmark	\checkmark	-	-
MAINTENANCE FREE	\checkmark	\checkmark	\checkmark	-
NO SELF DISCHARGE DURING STORAGE	-	-	√	√



COMPARATIVE FEATURES

	LITHIUM LIFePO4 BATTERIES	SLA MAX & SLA BATTERIES	MAINTENANCE FREE BATTERIES	CONVENTIONAL/DRY BATTERIES
ROAD FREIGHT			*	*
AIRFREIGHT	_		-WITH ACID PACK	- WITH ACID PACK
SEA FREIGHT			*	*
	SUITABLE FOR E-COMMERCE		* UNDER CERTAIN CONDITIONS	





SMART CHARGERS - MAINTAINERS & POWERFULL BOOSTER





SMART CHARGERS & MAINTAINER - OUR RANGE

		E23413			
	BS 10	BS 15	<i>BS 30</i>	<i>B560</i>	BK 20
CHARGE MODE	6v & 12v	12v	12v	12v	6v & 12v
CHARGING CURRENT	1A	1.5A	3A	1a - 4a - 6a	3x 2A
BATTERY COMPATIBILITY	LEAD ACID & LITHIUM	LEAD ACID	LEAD ACID & LITHIUM	LEAD ACID	LEAD ACID & LITHIUM
STAGES	9 STAGES	8 STAGES	9 STAGES	9 STAGES	10 STAGES
BATTERY SIZE	UP TO 20Ah	UP TO 30ah	UP TO 60Ah	UP TO 120Ah	UP TO 40ah
BATTERY SIZE FOR MAINTENANCE	UP TO 40 Ah	UP TO 60Ah	UP TO 120Ah	UP TO 180ah	UP TO 80ah
RECONDITIONING FUNCTION	NO	YES	NO	YES	YES
FIXATION	NO	MULTIAXIS HOOK	MULTIAXIS HOOK	NO	DISPLAY PARTS (OPTION)
SUITABLE FOR	# # # *	# 65 # 4	# # # <u>*</u>	# 45 # * * *	# # # <u>*</u>



SMART CHARGERS & MAINTAINER (Lead Acid + Lithium)

BS 10

- 6V & 12V
- 1A
- 20Ah / 40Ah






- 12V
- 1A 4A 6A
- 30Ah / 60Ah



ADAPTABLE CHARGING
ALGORITHM FOR
LEAD ACID
& LITHIUM



9 STAGES OF CHARGES TO ENHANCE PERFORMANCE

SHORT CIRCUIT &
INTERNAL OVERHEAT
PROTECTION

DELIVERED WITH

BS CLAMPS SET &

FUSED RING

TERMINAL SET

CONNECTION
SPARK FREE &
REVERSE POLARITY

SUITABLE FOR





SMART CHARGERS & MAINTAINER (Lead Acid + Lithium)

BK 20

- RECONDITIONING FUNCTION
- 6V & 12V
- 3 x 2A
- 40Ah / 80Ah



3 BATTERIES
AT ONCE
(different voltage

& techno)

10 STAGES OF CHARGES TO ENHANCE PERFORMANCE

FORCE MODE ON "DEAD" BATTERIES SMALL CHARGING
STATION FOR WORKSHOPS



DISPLAY, CHARGE & MAINTAIN x6 BATTERIES AT ONCE

SUITABLE FOR





B2B

SMART CHARGERS & MAINTAINER (Lead Acid)


BS 15

- 12V
- 4 -> 30 Ah
- 1.5 A
- 8 STAGES OF CHARGE
- RECONDITIONNING FUNCTION





- 12V
- 3 >120 Ah
- 1A;4A;6A
- 9 STAGES OF CHARGE
- RECONDITIONNING FUNCTION







ADAPTABLE CHARGING ALGORITHM FOR **LEAD ACID**

SHORT CIRCUIT &
INTERNAL OVERHEAT
PROTECTION

DELIVERED WITH

BS CLAMPS SET &

FUSED RING

TERMINAL SET

CONNECTION
SPARK FREE &
REVERSE POLARITY







BOOSTER



200 A – 400 A Peak Performance

UP TO 20 JUMP STARTS WITH 1 CHARGE SMART CABLE WITH SPARK-PROOF CONNECTION

REVERS POLARITY
PROTECTION

SAFE LITHIUM BOOSTER
COMPACT & POWERFUL



OWER SUPPLY
LED
FLASHLIGHT
USB DEVICES

3 MODES

GAS
UP TO 5,0L
& DIESEL
UP TO 2,5L



TESTERS - FULL RANGE

EST1000



BST 1000 – Lead acid & Lithium battery tester





BT 03 – Battery Condition Indicator with LED integrated





BT 02 – Battery & Alternator tester



TESTERS – BST 1000 : A COMPLETE TESTER






SUITABLE FOR



- DESIGNED FOR PROFESSIONNALS
- GET A COMPLETE TESTING PROGRAM OF YOUR BATTERY'S LIFESPAN

12 V (Vehicles & Moto.)

LEAD ACID & LITHIUM BATTERY TESTER SHORT CIRCUIT & POLARITY REVERSE CONNECTION PROTECTIONS







TESTERS - BT 03: BATTERY TESTER








SUITABLE FOR



- DESIGNED FOR PROFESSIONNALS & END-USERS
- TEST, CHARGE & MAINTAIN BATTERIES WITHOUT DISCONNECTING THE FUSED RING

12 V EXTRA SLIM

BATTERY ONLY SET WITH
3 INTEGRATED LED
(GREEN, ORANGE, RED)



COMPATIBLE
WITH ALL THE
BS SMART
CHARGERS



TESTERS - BT 02 : BATTERY & ALTERNARTOR TESTER





SUITABLE FOR



- DESIGNED FOR PROFESSIONNALS & END-USERS
- TEST BATTERY & ALTERNATOR CONDITION IN FEW MINUTES

12 V EXTRA SLIM

LEAD ACID BATTERY ONLY DELIVERED WITH
CROCODILE CLIP TO
FACILITATE
CONNECTION



INSTANTDIAGNOSTIS



ACCESSORIES



PA 01

Fused ring terminal leadset

Satisfies all the battery charging needs without any risks







CL 02

BS clamps

Isolated clamps - Safe for every use



PA 03

Cigar plug leadset

Allows to charge through the cigarette outlet









WARRANTY FORM



WARRANTY EXPERT FORM


BATTERY TYPE	CUSTOMER NAME	
DATE	SERIAL NUMBER	
RESELLER	INSTALLATION DATE	

- When can we speak of warranty?


 1. When the battery is returned to the sales point within the proposed warranty period.
- 2. Short circuit in one or more elements if the battery is brand new.
- 3. Internal interruption or bad terminal connection.
- 4. Inversed polarity of a new battery.

When is the warranty claim rejected?

- 1. Excessive runout.
- 2. Consequences of negligence or improper handling.
- 3. Case or lid damage.
- 4. Damaged terminals.
- 5. Frozen batteries.
- 6. Use of the battery in the wrong application/vehicle.
- 7. Use of additives other that recommended.




WARRANTY EXPERT FORM



WARRANTY EXPERT FORM MF








The Power you need...

BATTERY FINDER




https://bs-battery.com/battery-finder/



DOWNLOAD AREA

Catalogues, Manual, Data Sheets





DISCOVER MORE ON



WEBSITE

www.bs-battery.com

CONTACT

BS BATTERY - Paris Headoffice (France) sales@bs-battery.com





SOCIAL MEDIAS

- @bsbatteryofficiel
- @bsbattery
- @bsbattery
- in @bsbattery







MERCI

Julien TOURSCHER
Sales & Technical
+337 87 37 67 62
jtourscher@bs-battery.com

Eva CASTELAIN
Marketing
+336 76 92 58 55
ecastelain@bs-battery.com

