



BSS[®]
BATTERY

The Power you need...



LAWN & GARDEN
SERIES **24**

BATTERY | CHARGER | BOOSTER | TESTER





The Power you need...

- 400** BATTERY TYPES
- 80** COUNTRIES
- 6** BRANCHES

ABOUT US

Crafting ingenious battery solutions for all powersport applications defines the core identity of BS BATTERY. Based in France and founded in 2008, our family-run company offers more than 400 battery solutions developed by an active Research & Development team and 2 stable production facilities.

Original Equipment Manufacturer (OEM) and Original Equipment Supplier (OES) approved by major motorcycle brands, involved with Racing Teams in all categories, BS BATTERY 's growth is fueled by the active engagement of its loyal partners across more than 80 countries supported by 6 branches around the world.

Service-oriented and passionate, BS BATTERY has become in just a few years, one of the largest and most innovative powersport battery manufacturer, becoming a reliable partner of the major distribution players and vehicle manufacturers.



Developed according to innovative production processes and engineered under stringent quality control, BS BATTERY facilities comply with the highest international standards and certifications such as:




Original Equipment Manufacturer (OEM) and Original Equipment Supplier (OES) approved by major motorcycle brands worldwide, we collaborate strongly with vehicle manufacturers to demonstrate our product's reliability, and perpetually stay at the forefront of innovation.



Aware of the complexities that batteries may introduce for end users, BS BATTERY has created a wide program of "ready to use" solutions with more than 80 models available, SLA & SLA MAX batteries are suitable for all types of powersport applications.

Very active on new technology, we built over the years a real expertise in Lithium technology thanks to our collaboration with vehicle manufacturers and more than 15 Official Racing Teams in all categories.

NETWORK PRESENCE



Mindful of the critical role maintenance plays, BS BATTERY develops ingenious charging and testing solutions for professionals or end-users covering all their needs. Placing services at the heart of its strategy, we pay special attention to accompanying our distributors as true partners with maintenance solutions, logistics, business development support, including education and marketing.



The driving force behind our success is the power of passion. In the world of racing, precision and teamwork are non-negotiable. The same principles apply to our daily operations. It's not just about reaching the finish line; it's about the journey. Our employees and partners bring their racing spirit to work every day, infusing energy and determination. This shared passion fosters a sense of belonging, loyalty, and a collective desire to see our brand emerge as the champion in our industry.

FIND THE RIGHT BS BATTERY FOR YOUR VEHICLE

WITH BS BATTERY FINDER



WWW.BS-BATTERY.COM

BATTERIES

6

LITHIUM - ROBOT MOWER	6
SLA - FACTORY ACTIVATED	8
DRY - CONVENTIONAL	10
VRLA - GENERAL PURPOSE	12
BATTERY RANGE OVERVIEW	13
TRANSPORTATION CHART	13

SMART CHARGERS & MAINTAINERS

14

SMART CHARGERS CHART	14
BS 10	15
BS 30	16
BK 20	17
BS 15	18
BS 60	19

BOOSTER

20

PB 02	20
-------	----

TESTERS & ACCESSORIES

22

BST 1000	22
BT 01	23
BT 02	23
BT 03	23
PA 01	23
PA 03	23
CL 02	23

DEALER TOOLS

24

BS BATTERY ACADEMY	24
ONLINE TOOLS	25
SHOPS DEVELOPMENT	26
WORKSHOPS DEVELOPMENT	27
EVENT	28

Disclaimer: these instructions have been written with the most current information available at the time of publication, based on sound engineering principles, research, extensive field experience, and the technical judgment of industry members. However, users are cautioned that this information is subject to change upon developments in technology, field experience, and available fitment data. BS BATTERY cannot nor does not claim any express or implied responsibility, representation, or warranty concerning this catalog's data or recommendations. Although this catalog has been compiled with the utmost care, BS BATTERY shall in no event be liable for any loss or damages claimed to have occurred as a result of the use of this data or from the recommendations set henceforth. Users should always use the most current edition of the BS Powersports Battery catalog & applications and consult their equipment manufacturer's user manual or service department for specific replacement battery application information. Creation: Ombeline Guirauton & Pierre Bresson - Photos: William Joly, Ombeline Guirauton



First-class safety features
BMS integrated (depending on the model)

High cycle life & battery life
Up to 1000 cycle lifes

High quality lithium cells

Wide compatibility list
More than 200 models of robots covered

To allow your robot mower to effortlessly cover your large lawn again, we provide a wide selection of spare batteries that match the original specifications. Featuring high-quality cells, these batteries are designed for intensive charging and discharging. Our range includes the most popular robot mower batteries on the market.

BS BATTERY TYPE	BS CODE	TECHNO	VOLTAGE V	CAPACITY Ah	POWER Wh	DIMENSIONS (±2mm)			COMPATIBILITY (NOT EXHAUSTIVE)	OEM PART NUMBERS
						L	W	H		

AL-KO

	BSL-AL01	360601	Li-ion	18	2.5	45.0	94	69	26	AL-KO: Robolinho 100 / 110 / 41.6	440454 441154 442175
	BSL-AL02	360602	Li-ion	25.2	5	126.0	128	69	50	AL-KO: Robolinho 3000 / 4000 AL-KO: Robolinho 82.8 / 116	440530 441188

AMBROGIO / STIGA / WIPER

	BSL-ST01	360603	Li-ion	25.2	8.7	219.2	150	64	93	AMBROGIO: Type L100 Serie STIGA: Autoclip 140, 325, 520...	CS_C0106/1 1126913801
	BSL-ST02	360604	Li-ion	25.2	13.8	347.7	302	156	41	AMBROGIO: Type L200/ L300 Serie STIGA: Autoclip 720S/920S WIPER: One XH/HXD	CS C0114 1126-9121-01
	BSL-ST03	360605	Li-ion	25.2	2.6	65.5	144	77	38	AMBROGIO: L30/L75/L85 STIGA: Autoclip 125, 127, 145, 223, 225S	075Z01300A 1126913701

AMBROGIO ZUCCHETTI / WIPER

	BSL-ZU01	360630	Li-ion	25.9	2.6	67.3	129	67	28	AMBROGIO: L15, L20, L60, Twenty, Twenty Elite S+ WIPER: i70, i100S, Climber, Q350	015E00600A 050Z38600A
--	----------	--------	--------	------	-----	------	-----	----	----	--	--------------------------

BOSCH

	BSL-BS01	360606	Li-ion	32.4	3.0	97.2	217	85	58	BOSCH: Indigo 800 / 850/ 1000/1100 Connect/1200 Connect/ 1300/3600/ 3 600 HA2 000 10C/13C	
--	----------	--------	--------	------	-----	------	-----	----	----	---	--

BS BATTERY TYPE	BS CODE	TECHNO	VOLTAGE V	CAPACITY Ah	POWER Wh	DIMENSIONS (±2mm)			COMPATIBILITY (NOT EXHAUSTIVE)	OEM PART NUMBERS
						L	W	H		

HUSQVARNA / GARDENA / FLYMO / MCCULLOCH

	BSL-HU01	360609	Li-ion	18	2.0	36.0	71	66	57	HUSQVARNA: Automower 105/305/308 MCCULLOCH FLYMO GARDENA	574 47 68-01
	BSH-HU06 (WITH PCM)	360620	Li-ion	18	2.0	36.0	69	56	67	HUSQVARNA: Automower 105/305/308 MCCULLOCH FLYMO GARDENA	589 58 61-01 586 57 62-012
	BSL-HU02	360610	Li-ion	18	2.5	45.0	92	67	26	HUSQVARNA: Automower 310 / 315 GARDENA: R100/R160...	584 82 28-02
	BSL-HU03	360617	Li-ion	18	4.0	72.0	146	68	39	HUSQVARNA: 320(2013>), 330X (2013>), 420 (2016>), 520 (2018>)	589 58 57-01 588 14 64-01
	BSL-HU04	360618	Li-ion	18	5.2	93.6	146	68	39	HUSQVARNA: Automower 430X 2016 -> Automower 440 2017 -> Automower 450X 2016 -> Automower 550 2018 ->	589 58 57-01
	BSH-HU05	360619	NiMH	18	2.2	39.6	215	68	13	HUSQVARNA: 220AC, 230ACX, 265ACX	535 12 09-01 535 12 09-02
	BSL-HU07	360611	Li-ion	22	5.2	114.4	220	67	22	HUSQVARNA: 265ACX (2012>2015) 265ACX G2-2	578 84 87-02 578 84 87-01
	BSL-HU08	360631	Li-ion	18.5	2.0	37.0	139	81	38	HUSQVARNA: 305 (2019>) 310 (2019>) 315 (2019>)	593 24 72-01 590 21 42-02 590 21 42-07

ROBOMOW / WOLF GARTEN / CUB CADET

	BP-RM01	300892 + 750542 *ROBOMOW adaptor	AGM	12	7.0	86.4	151	99	65	ROBOMOW: RX12U, RX20U, RX20 Pro	MRK9101A
	BSL-RM02	360612	LiFePO4	25.6	3.0	76.8	212	164	108	ROBOMOW: City MC150/300/1000/1200 ROBOMOW: Premium RC304u/RC306... WOLF GARTEN: RS400/ RS600	MRK7005A
	BSL-RM03	360613	LiFePO4	25.6	6.6	168.9	216	56	79	ROBOMOW RS612/RS622/RS635/... WOLF GARTEN: RS1000/RS1800/ RS3000... CUB CADET: 3000	MRK6105A


WORX


	BSL-WX01	360614	Li-ion	20	2.0	40.0	110	75	46	WORX: Landroid L2000/ M1000/ M700	WA3551.1
	BSL-WX02	360615	Li-ion	20	5.0	100.0	110	75	46	WORX: Landroid L2000/ M1000/ M700	WA3556
	BSL-WX03	360616	Li-ion	28	2.5	70.0	110	75	64	WORX: Landroid L1500i / M500/ WG754E/ WG790	WA3225





ORIGINAL EQUIPMENT
OEM
MANUFACTURER


**plug
and
play**


-  **Factory activated**
AGM (Absorbent Glass mat) technology

-  **Ready to use**
Just plug & play

-  **No maintenance**
VRLA (Valve Regulated Lead Acid) design

-  **Spillproof design**
Factory sealed & electrolyte held in a glass fibre mat

-  **No acid handling**
Very safe

-  **High starting power & extended cycle life**

SLA (Sealed Lead Acid) batteries will make your gardening tasks easier. No more handling acid or waiting for batteries to charge—everything is now much simpler! SLA batteries are sealed, non-spillable, factory-activated and no maintenance. These ready-to-use batteries are extremely easy to install and carry, all at a very attractive price. Discover the widest range available on the market, designed to meet all your gardening power needs.

COMPATIBLE CHARGERS

- BS 10** Battery size up to 20Ah


- BS 15** Battery size up to 30Ah

- BS 30** Battery size up to 60Ah

- BS 60** Battery size up to 120Ah

- BK 20** Battery size up to 40Ah

MOUNTING ANGLES



BS BATTERY TYPE	BS CODE	CAPACITY AH (10HR)	CAPACITY AH (20HR)	CCA A (-18°C)	DIMENSIONS (±2MM)			ASSEMBLY LAYOUT	TERMINAL
					L	W	H		
U1-9 (12N24-4A)	300901	-	28	300	195	125	176		
U1R-9 (12N24-3A)	300902	-	28	300	195	125	176		
U1-12 (12N24-4A)	300877	-	32	400	195	125	176		
U1R-12 (12N24-3A)	300878	-	32	400	195	125	176		
SLA12-20	300879	20	21.1	180	182	77	168		
BTZ7S	300635	6	6.3	130	113	70	105		
BTX16	300763	14	14.7	230	150	87	161		
BTX14AH/BB14-A2/B2 (12N14-4A)	300758	14	14.7	210	135	90	164		
BTX14AHL/BB14L-A2/B2 (12N14-3A)	300759	14	14.7	210	135	90	164		
BTX24HL/B50-N18L-A/A2/A3 (12N18-3A)	300770	21	22.1	350	205	87	162		
53030 (B60-N30L-A)	300880	30	31.6	300	178	123	166		



DID YOU KNOW?

BS BATTERY SLA range can replace 95% of Maintenance Free and DRY batteries.

BS BATTERY SLA range is perfectly suitable for e-commerce (air freight, road or sea shipment).



Conventional batteries are lead acid flooded batteries. These batteries need to be filled before first use. Conventional High Performance batteries include a sulfation retardant technology which reduces battery-killing plate sulfation. This results in a longer battery life, especially in standby or storage mode. These batteries are perfectly suitable for ATVs (All Terrain Vehicles), UTVs (Utility Vehicles) and lawnmowers.




Acid pack included for activation

COMPATIBLE CHARGERS

- BS 10** Battery size up to 20Ah
- BS 15** Battery size up to 30Ah
- BS 30** Battery size up to 60Ah
- BS 60** Battery size up to 120Ah
- BK 20** Battery size up to 40Ah

- Acid pack included**
For initial filling
- Periodic maintenance**
Refilled with water if necessary
- Handle with care to prevent acid spillage**
- Long shelf life**
No need to be recharged while stocked
- Internal gas emission through venting hole**
- Wide variety of 6V & 12V models**

MOUNTING ANGLES



BS BATTERY TYPE	BS CODE	CAPACITY AH (10HR)	CAPACITY AH (20HR)	CCA A (-18°C)	DIMENSIONS (±2MM)			ASSEMBLY LAYOUT	TERMINAL
					L	W	H		
12V BB12A-A (12N12A-4A-1)	310561	12	12.6	155	134	80	160		
BB14L-A2 (12N14-3A)	310569	14	14.7	175	134	89	166		
BB14-A2 (12N14-4A)	310567	14	14.7	175	134	89	166		
B50-N18L-A/A2/12N18-3A	310547	20	21.1	250	205	90	162		
12N24-3A	310539	24	25.2	220	184	124	175		
12N24-4A	310540	24	25.2	220	184	124	175		
U1-9	310691	24	25.2	220	195	130	180		
U1R-9	310810	24	25.2	220	195	130	180		
U1-12	310744	30	31.6	280	195	130	180		
U1R-12	310870	30	31.6	280	195	130	180		
B60-N24L-A	310658	28	29.5	280	184	124	175		
53030 (B60-N30L-A)	310544	-	30	300	184	130	170		



DID YOU KNOW?

Since February 1st, 2021, the regulation (EU) 2019/1148 prohibits the sale of acid batteries to the public in Europe.

DRY batteries can be stored for several years, as it is a dry-charged battery.

VRLA | GENERAL PURPOSE




- Factory activated**
AGM (Absorbent Glass mat) technology
- Ready to use**
Just plug & play
- Absolutely maintenance free**
- No acid handling**
Very safe
- Spillproof design**
Factory sealed & electrolyte held in a glass fibre mat
- Low discharge rate**

VRLA batteries are general-purpose batteries with 5 years design life in float service. With advanced AGM valve regulated technology and high purity raw material, these batteries ensure high performance and reliable standby service life. It can also be used for light cycling use. With sealed construction, VRLA are nonspillable and maintenance free.

COMPATIBLE CHARGERS

- BS 10** Battery size up to 20Ah
- BS 15** Battery size up to 30Ah
- BK 20** Battery size up to 40Ah

MOUNTING ANGLES



BATTERY RANGE OVERVIEW

COMPARATIVE CHART



	LITHIUM LiFePO4	SLA FACTORY ACTIVATED	DRY BATTERY	VRLA BATTERY
PLUG & PLAY	✓	✓	-	✓
NO ACID HANDLING	✓	✓	-	✓
NO MAINTENANCE	✓	✓	-	✓
NON-SPILLABLE	✓	✓	-	✓
FACTORY ACTIVATED	✓	✓	-	✓
MULTI-POSITIONING FITMENT	✓	✓	-	✓
EASY TO CARRY	✓	✓	-	✓
EASY TO SHIP	✓	✓	-	✓
NO SELF DISCHARGE DURING STORAGE	-	-	✓	-
SUITABLE FOR E-COMMERCE COMPLIANT WITH EU REGULATION 2019/1148 (FOR THE SALE OF ACID FOR BATTERIES)	✓	✓	-	✓

TRANSPORTATION CHART

TRANSPORT TYPE				
	SUITABLE FOR E-COMMERCE	UNDER CERTAIN CONDITION	SUITABLE FOR E-COMMERCE	

BS BATTERY TYPE	BS CODE	CAPACITY AH (10HR)	CAPACITY AH (20HR)	CCA A (-18°C)	DIMENSIONS (±2MM)			ASSEMBLY LAYOUT	TERMINAL
					L	W	H		
BP12-4.5	300893	4.2	4.5	-	90	101	107		
BP12-7	300892	6.7	7	-	151	65	99		

(1) Once activated
(2) According to ADR, IMDG & IATA regulations

SMART CHARGERS CHART

LEAD ACID & LITHIUM CHARGER | BS 10

BS Code: 700516



	AUTO-DETECT LEAD ACID & LITHIUM			LEAD ACID	
BATTERY COMPATIBILITY	AUTO-DETECT LEAD ACID & LITHIUM			LEAD ACID	
CHARGE MODE	6v & 12v	12v	6v & 12v	12v	
CHARGING CURRENT	1A	3A	3x 2A	1.5A	1A - 4A - 6A
CHARGING PROGRAM	9 STAGES		10 STAGES	8 STAGES	9 STAGES
BATTERY SIZE	UP TO 20Ah	UP TO 60Ah	UP TO 40Ah	UP TO 30Ah	UP TO 120Ah
BATTERY SIZE FOR MAINTENANCE	UP TO 40Ah	UP TO 120Ah	UP TO 80Ah	UP TO 60Ah	UP TO 180Ah
RECONDITIONING FUNCTION	NO		YES	YES	
USERS TYPE	FOR END-USERS	FOR END-USERS	FOR PROFESSIONALS	FOR END-USERS	FOR END-USERS
GOOD TO KNOW	WALL MOUNT CONNECTION	MULTIAXIS HOOK	DISPLAY PARTS (OPTION)	MULTIAXIS HOOK	WALL MOUNT FIXATION
SUITABLE FOR					




SMART BATTERY CHARGER & MAINTAINER

6V/12V - 1A

- > Auto detect Lead Acid or Lithium technology
- > 6V & 12V mode selection
- > Zero overcharge: adaptable charging algorithm Lead Acid & Lithium (LiFePO4)
- > Safe: connection spark-free, reverse polarity, short circuit and internal overheat protection
- > Easy to use: connect, select battery voltage & forget
- > Battery capacity: up to 20Ah


BOX CONTENT



BATTERY COMPATIBILITY



CHARGING CURVE - 9 STAGES



*Adaptable charging algorithm for Lithium= No float & maintenance stages. Once the battery is fully charged, the charge is stopped.



CHARGER ACCESSORIES - SEE PAGE 23

BS 30 | LEAD ACID & LITHIUM CHARGER

BS Code: 700566



SMART BATTERY CHARGER & MAINTAINER


12V - 3A

- > Auto detect Lead Acid or Lithium technology
- > Zero overcharge: adaptable charging algorithm Lead Acid & Lithium (LiFePO4)
- > Safe: connection spark-free, reverse polarity, short circuit and internal overheat protection
- > Easy to use: connect & forget
- > Multiaxis hook
- > Battery capacity: up to 60Ah

BOX CONTENT




International plugs available on request



BATTERY COMPATIBILITY



CHARGING CURVE - 9 STAGES



*Adaptable charging algorithm for Lithium= No float & maintenance stages. Once the battery is fully charged, the charge is stopped.

LEAD ACID & LITHIUM BANK CHARGER | BK 20

BS Code: 700547



SMART BANK BATTERY CHARGER & MAINTAINER WITH RECONDITIONING FUNCTION

6V/12V - 3x 2A

- > Charges and maintains 3 batteries with different voltages and technologies at once
- > Auto detect Lead Acid or Lithium technology
- > Zero overcharge: adaptable charging algorithm Lead Acid & Lithium (LiFePO4)
- > Force mode function: to activate low voltage "dead" Lead Acid battery or wake up "dead" LiFePO4 battery
- > Safe: connection spark-free, reverse polarity, short circuit and internal overheat protection
- > Easy to use: connect, select battery voltage & forget
- > 6V & 12V mode selection
- > Battery capacity: up to 40Ah

BOX CONTENT



International plugs available on request



FOR PROFESSIONALS

BATTERY COMPATIBILITY





CHARGING CURVE - 10 STAGES



* Only if force mode is selected:
- For Lead Acid: reconditioning stage
- For Lithium: wake-up stage.

**Adaptable charging algorithm for Lithium= No float & maintenance stages. Once the battery is fully charged, the charge is stopped.



DID YOU KNOW?

Build your own Charging Station to charge and maintain 6 batteries at once!

- BATTERY DISPLAY 900075
- + ASSEMBLY PART 700548
- + CHARGER BK 20 700547



BS 15 | LEAD ACID CHARGER

BS Code: 700565




SMART BATTERY CHARGER & MAINTAINER WITH RECONDITIONING FUNCTION

12V - 1.5A

- > Suitable for Lead Acid batteries
- > Reconditioning function for deeply discharged batteries
- > Ideal for charging during the winter season
- > Safe: connection spark-free, reverse polarity, short circuit and internal overheat protection
- > Easy to use: connect & forget
- > Multiaxis hook
- > Battery capacity: up to 30Ah


BOX CONTENT



BATTERY COMPATIBILITY



CHARGING CURVE - 8 STAGES



LEAD ACID CHARGER | BS 60

BS Code: 700532




SMART BATTERY CHARGER & MAINTAINER WITH RECONDITIONING FUNCTION

12V - 1/4/6A

- > Suitable for Lead Acid batteries
- > Reconditioning function for deeply discharged batteries
- > Selectable battery type (Calcium, Gel, AGM) and charge rate (1A/4A/6A)
- > Automatic battery condition diagnosis
- > Safe: connection spark-free, reverse polarity, short circuit and internal overheat protection
- > Easy to use: connect, select battery type charge rate & forget
- > Battery capacity: up to 120Ah


BOX CONTENT



BATTERY COMPATIBILITY



CHARGING CURVE - 9 STAGES



BS Code: 700559



Get back on the road in no time thanks to our ultra compact and powerful battery jump starter!
Power Box PB 02 is versatile to safely jump start battery on all vehicles, charge and recharge USB devices including 3 light modes in case of emergency. Ultra safe, our booster PB 02 is delivered with a smart cable to ensure spark-proof connection and reverse polarity protection. Thanks to a compact and lightweight conception, you can easily insert your PB 02 inside a motorcycle trunk, glove box, or adventurer backpack.

BOX CONTENT



SAFE BOOSTER & POWER SUPPLY FLASHLIGHT


12V - 1200A

- > Compact & powerful booster rated at 1200A
- > Suitable for Lead Acid only
- > Up to 20 jump starts in one charge
- > Designed for gas (7.0L) and diesel (6.0L) engines
- > Very safe: smart cable with spark-proof connection and reverse polarity protection
- > Power supply for all USB devices when you need them the most
- > LED flashlight function with 3 modes
- > LCD display with state of charge indication and output ports used
- > Comes with a storage case, smart jump lead, lightning cable, Micro USB cable, USB C cable, 12V car charger and 12V home charger

BATTERY COMPATIBILITY



FEATURES



> BOOSTER

Start current: 600A
Start peak current: 1200A



SUITABLE FOR:



7.0L

Gas engines up to 7000cc

6.0L

Diesel engines up to 6000cc

> POWER SUPPLY

Recharge your mobile, tablet or any other device thanks to the USB port



SUITABLE FOR:



UNIVERSAL PLUGS

EASY TO CHARGE AND RECHARGE!

> LED FLASHLIGHT

3 Light modes:
Constant light - Strobe - SOS



BST 1000 | TESTER

BS Code: 700605



BST 1000 is a 12V Lead Acid & Lithium Battery Tester that offers a complete testing program including: battery test, charging test, alternator test, resistance test, voltage test and cranking test (CCA- cold cranking amps).

Designed for professionals, BST 1000 is the perfect solution to check the health of your automotive or powersport battery in a few minutes!

LEAD-ACID & LITHIUM BATTERY TESTER

- > For Lead Acid (flooded, AGM flat or spiral, GEL, EFB) & lithium batteries
- > For all 12V battery types
- > 5 battery tests: charging, alternator, resistance, voltage, cold cranking Amps tests
- > Easy to read thanks to the large LCD screen.
- > Print function via PC printer
- > Multiple languages: English, German, Spanish, French, Dutch & Italian
- > Short circuit and polarity reverse protections

BOX CONTENT



BATTERY COMPATIBILITY



APPLICATION



Voltage test



Cranking test



Alternator test



Resistance test



Safe



Multi languages



Printing



Data storage

TESTER

BT 01

BS Code: 700511



BATTERY CONDITION INDICATOR

This accessory is ideal if your battery is difficult to access, hidden or if you cannot use clamps thanks to the eyelet terminals.

- > For 12V Lead Acid batteries only
- > Composed by 1 eyelet connection set and 1 tester
- > Shows battery condition at the push of a button

BT 02

BS Code: 700512



BATTERY & ALTERNATOR TESTER

BT 02 is a battery & alternator tester designed to save time on electrical issues: it gives an instant diagnosis.

- > For 12V Lead Acid batteries only
- > Check alternator or battery's health

BT 03

BS Code: 700517



BATTERY CONDITION INDICATOR WITH INTEGRATED LED

Designed for professionals and end-users, the BT 03 allows to check the state of charge of 12V Lead Acid batteries, with 3 integrated LED lights display diagnostic tool.

- > For 12V Lead Acid batteries only
- > 3 LED indicators (green, orange, red) integrated directly into the eyelet connection
- > Extra slim

ACCESSORIES

PA 01

EYELET TERMINAL CONNECTOR

NEW

This connection is the ideal solution if your battery is difficult to access, hidden or if you cannot use clamps. Just connect the eyelet terminals to the battery and charge normally. This accessory is compatible with all BS BATTERY chargers.

- > For all 12V vehicles and motorcycles batteries
- > M6 eyelets terminals
- > 3A Fuse
- > Wire 61 cm (18AWG)
- > Safe & easy to connect



PA 01 - 1 PC
BS Code: 700513



PA 01 - JAR (20 pcs)
BS Code: 700573

CL 02

BS Code: 700535



BS CLAMPS

Isolated clamps - Safe for every use

PA 03

BS Code: 700515



CIGAR PLUG LEAD SET

Allows to charge through the cigarette outlet



BS BATTERY ACADEMY

Being closer to each partner by providing them with the right knowledge and expertise, listening to their feedback from the field and sharing their challenges, have always been a priority for BS BATTERY.

Training plays a vital part in the business success, that's why we developed BS BATTERY Academy. BS BATTERY Academy is a comprehensive training program dedicated to enhancing technical skills and making a vast difference to our partner's growth and profitability.

Run by experts who are both specialized in their subjects and professionally qualified, our trainings are 100% tailor-made: we always select relevant information according to our audience (distributors, dealers, mechanics...) to fulfill their needs and tackle their challenges. For more details, please contact your BS BATTERY Team.



To find out more details on BS BATTERY Academy, please contact your BS BATTERY Team.

Tailored training program

Face to face
Online training

2 Certifications Levels
Essential
Evolution


Qualified &
passionate experts

BATTERY FINDER

Find the right battery for your lawnmower, robot, ATV/UTV/SSV, moto, scooter, watercraft or snowmobile, in a few seconds! Our search app BATTERY FINDER is available on our website 24H/24 - 7/7. Scan the QR code and find the right power solution for your vehicle:



SCAN HERE



DOWNLOAD AREA

Looking for technical information (datasheets, manuals) about BS BATTERY products? Go on bs-battery.com > "DOWNLOAD"


NEWS

Read all our latest news about products, racing, events: go on bs-battery.com > "NEWS"



SOCIAL MEDIA

Follow our social media channels to discover more about the world of BS BATTERY!



CHARGING STATION

BATTERY DISPLAY

BS Code: 900075

This display allows the promotion of batteries, chargers, testers and booster.

DIMENSIONS:
Height: 1 740 mm
Width: 610 mm
Depth: 350 mm



SMART CHARGER BK 20

BS Code: 700547

Charges and maintains 3 batteries with different voltages and technologies at once, page 31



BK20 FIXING ACCESSORY

BS Code: 700548

This accessory allows to mount up TO two BK 20 Chargers on our battery display.



T-SHIRT - BS FACTORY BS Code: 900122 to 900126

100 % Ringspun cotton 190 gr.

SIZE: S to XXL




PADDOCK CARPET

BS Code: 900109

This carpet prevents fuel and lubricant spills when maintenance and repairs are carried out. FIM compliant, washable easily, non-slip backing, 100% polyamide (± 2 500 g/m²).

DIMENSIONS: 950 x 2 200 mm



WELCOME CARPET

BS Code: 900108

Entrance carpet ideal for shops or showrooms. This carpet captures humidity in winter, dust and dirt in summer. Oil and water resistant, washable easily, non-slip backing, 100% polyamide (± 2 500 g/m²), Thickness ± 7 mm: to fit under any door.

DIMENSIONS: 600 x 950 mm



DEALER PACK

BS Code: 900055

The dealer pack is conditioned in one box and contains:
4 t-shirts (2x M - 2x L) + 6 neck warmers + 6 pens + 6 pads A5



PEN (x25) BS Code: 900053

PADS A5 (x10) BS Code: 900143

NECK WARMER (x10) BS Code: 900132

LAWN & GARDEN SERIES

The Power you need...



BODYWARMER

BS Code: 900133 to 900137

Bodywarmer jacket with zipper. Zipped pockets on the front. Collar with a soft finish. Produced by Kenny.

SIZE: S to XXL



LAWN & GARDEN SERIES

SOFTSHELL

BS Code: 900110 to 900114

Waterproof and windproof material with membrane and inner fleece. Elasticized lower body tightening. Wrist strap with Velcro. Produced by Kenny.

SIZE: S to XXL



DEALER TOOLS | EVENT



WINDFLAG BS Code: 900139

Light and easy to carry
Ideal for shops, events,
fairs...

DIMENSIONS: 290 cm



CAP (5pcs) BS Code: 900106

Cap with eyelets and adjustments
(plastic plaw).
Produced by KENNY. Adult size.



KEYRING (10pcs) BS Code: 900107

Elastic band with hook, perfect for
hanging the keys.

DIMENSIONS: 425 x 40 mm



UMBRELLA BS Code: 900054

Elegant, strong and durable with a racing look.
Automatic opening, foam rubber handle.

DIMENSIONS: Length: 100 mm | Diameter:
1 300 mm



NECK WARMER (10pcs)

BS Code: 900132

Neck warmers offer style and protection
against cold.
It can be worn in multiple ways.

DIMENSIONS: 500 x 260 mm



The Power you need...



f | i | y | l | www.bs-battery.com



Scan to see our full collection



The Power you need...



    | www.bs-battery.com

BATTERY | CHARGER | BOOSTER | TESTER