

SLA | READY TO START



SLA (Sealed Lead Acid) batteries will make your gardening tasks easier. No more handling acid or waiting for batteries to charge—everything is now much simpler!

SLA batteries are sealed, non-spillable, factory-activated and no maintenance.

These ready-to-use batteries are extremely easy to install and carry, all at a very attractive price.

Discover the widest range available on the market, designed to meet all your gardening power needs.



Factory activated

AGM (Absorbent Glass mat) technology



Ready to use

Just plug & play



No maintenance

VRLA (Valve Regulated Lead Acid) design



Spillproof design

Factory sealed & electrolyte held in a glass fibre mat



No acid handling

Very safe



High starting power & extended cycle life

COMPATIBLE CHARGERS

BS 10 Battery size up to 20Ah

BS 15 Battery size up to 30Ah



BS 30 Battery size up to 60Ah

BS 60 Battery size up to 120Ah

BK 20 Battery size up to 40Ah

MOUNTING ANGLES

HIGH INCLINATION
NON-SPILLABLE



DID YOU KNOW?

BS BATTERY SLA range can replace 95% of Maintenance Free and DRY batteries.

BS BATTERY SLA range is perfectly suitable for e-commerce (air freight, road or sea shipment).

TECHNICAL FEATURES | SLA

12V

BS BATTERY TYPE	BS CODE	CAPACITY AH (10HR)	CAPACITY AH (20HR)	CCA A (-18°C)	DIMENSIONS (±2MM)			ASSEMBLY LAYOUT	TERMINAL
					L	W	H		
U1-9 (12N24-4A)	300901	-	28	300	195	125	176		
U1R-9 (12N24-3A)	300902	-	28	300	195	125	176		
U1-12 (12N24-4A)	300877	-	32	400	195	125	176		
U1R-12 (12N24-3A)	300878	-	32	400	195	125	176		
SLA12-20	300879	20	21.1	180	182	77	168		
BTZ7S	300635	6	6.3	130	113	70	105		
BTX16	300763	14	14.7	230	150	87	161		
BTX14AH/BB14-A2/B2 (12N14-4A)	300758	14	14.7	210	135	90	164		
BTX14AHL/BB14L-A2/B2 (12N14-3A)	300759	14	14.7	210	135	90	164		
BTX24HL/B50-N18L-A/A2/A3 (12N18-3A)	300770	21	22.1	350	205	87	162		
53030 (B60-N30L-A)	300880	30	31.6	300	178	123	166		

BATTERY RANGE OVERVIEW

COMPARATIVE CHART



	LITHIUM LiFePO4	SLA FACTORY ACTIVATED	DRY BATTERY	VRLA BATTERY
PLUG & PLAY	✓	✓	-	✓
NO ACID HANDLING	✓	✓	-	✓
NO MAINTENANCE	✓	✓	-	✓
NON-SPILLABLE	✓	✓	-	✓
FACTORY ACTIVATED	✓	✓	-	✓
MULTI-POSITIONING FITMENT	✓	✓	-	✓
EASY TO CARRY	✓	✓	-	✓
EASY TO SHIP	✓	✓	-	✓
NO SELF DISCHARGE DURING STORAGE	-	-	✓	-
SUITABLE FOR E-COMMERCE COMPLIANT WITH EU REGULATION 2019/1148 (FOR THE SALE OF ACID FOR BATTERIES)	✓	✓	-	✓

TRANSPORTATION CHART

TRANSPORT TYPE				
	SUITABLE FOR E-COMMERCE	SUITABLE FOR E-COMMERCE	UNDER CERTAIN CONDITION	SUITABLE FOR E-COMMERCE

(1) Once activated

(2) According to ADR, IMDG & IATA regulations