



中国认可
国际互认
检测
TESTING
CNAS L9856

1.2 米跌落测试报告

1.2m Drop Test Report

样品名称及型号

汽车应急启动电源
PB02-POWER BOX

Sample name
&Model

Car Jump Starter
PB02-POWER BOX

委托单位

/

Consignor

BS BATTERY SAS

深圳诚测检测技术有限公司
Shenzhen CCJC Technology Co., Ltd



样品名称 Sample name	汽车应急启动电源 Car Jump Starter	样品型号 Sample Model	PB02-POWER BOX
委托单位 Consignor	BS BATTERY SAS		
制造商 Manufacturer	毕尔思电源科技（秦皇岛）有限公司 BS Power Technology Co.,Ltd		
生产厂 Factory	毕尔思电源科技（秦皇岛）有限公司 BS Power Technology Co.,Ltd		
标称电压 Normal Voltage	14.8V	额定容量 Rated Capacity	3Ah 44.4Wh
包装件尺寸 Package Dimensions	445*285*264 (mm)	包装件电池净重 Net weight of batteries	4.455kg
电池数量 Battery Number	10pcs	整箱重量 Gross Weight	10.8kg
测试方法和判定标准 Test method and criterion	联合国《关于危险货物运输的建议书 规章范本》(22 修订版)特殊规定 188 条款 UNITED NATIONS "Recommendations on the TRANSPORT OF DANGEROUS GOODS" Model Regulations(22 nd Rev. edition) special provisions 188		
样品接收日期 Accepted date	2023-01-16	检测日期 Test date	2023-02-09
测试项目 Test items	1.2m 跌落试验、包装件毛重测试 1.2m Drop test, Gross Weight Measure		
测试结论 Conclusion	<p>被测试包装件能够承受 1.2 米跌落试验，其内装的电池没有破损，没有产生导致内装电池的直接接触的移动及内容物泄露，该包装件总重量为 10.8kg (毛重)。</p> <p>The tested package is capable of withstanding a 1.2m drop test in any orientation without damage to cells or batteries contained therein, without shifting of the contents so as to allow battery to battery or cell to cell contact and without release of contents. The weight of the package is 10.8kg (gross mass)</p> <p style="text-align: right;">签发日期(Issue date): 2023-02-09</p>		
编制 Compiler:		审核 Checker:	
		批准 Approver:	

序号 No.	测试项目名称 Name of test	标准要求或标准 条款号 Standard requirement or the clause number of standard	测试结果 Test result		本项结论 Test conclusion	备注 Remarks
1	1.2m 跌落试验 1.2m Drop test	联合国《关于危险货物运输的建议书 规章范本》(22 修订版)特殊规定 188 条款 UNITED NATIONS “Recommendations on the TRANSPORT OF DANGEROUS GOODS” Model Regulations(22 nd Rev. edition) special provisions 188	面 跌 落	包装未破裂，内装物完好。 The package is not cracked, the contents are not damaged and not shifted	合格 Passed	/
			棱 跌 落	包装未破裂，内装物完好。 The package is not cracked, the contents are not damaged and not shifted		
			角 跌 落	包装未破裂，内装物完好。 The package is not cracked, the contents are not damaged and not shifted		
2	包装件毛重测试 Gross Weight Measure	联合国《关于危险货物运输的建议书 规章范本》(22 修订版)特殊规定 188 条款 UNITED NATIONS “Recommendations on the TRANSPORT OF DANGEROUS GOODS” Model Regulations(22 nd Rev. edition) special provisions 188	10.8kg		合格 Passed	/
测试环境条件 Test environment condition		环境温度：20℃-25℃；环境湿度：45%-75% Ambient temperature: 20℃-25℃; Ambient humidity: 45%-75%				

包装 Package:



电池 Battery:



声 明

Statement

- 1、本报告无本单位报告专用章和批准人签章无效。

This report is invalid without the special seal for report of CCJC and the signatures of approver.

- 2、本报告涂改和删除无效。

This report is invalid if is blotted out and deleted.

- 3、委托单位对检测结果有异议，应于收到报告之日起十五日内向我司提出。

If the applicant has any questions about results, shall submit to CCJC within 15 days.

- 4、本报告仅对客户所送样品负责。

This report is responsible for the sample provided by the client only.

- 5、未经本单位许可，不得部分复制、摘用本报告书内容。

This report shall not be reproduced except in full, or extracted, without the written approval of CCJC.

- 6、客户必须如实提供样品及资料，否则本单位不承担任何相关责任。

The client should provide samples and relevant data, otherwise we will not bear any relevant responsibilities.

--End of test report--